

WEAVING INFINITE POSSIBILITIES



#### DESIGN

Understand your ideas. Exceptional performance inspires more..

#### SOLVE

Seek the best solution. Draw bridge to the future projects.

#### SERVICE

Provide all-around services. Make your ideas come into reality.




## ARGGER **Astraios**

Astraios architectural mesh, made of aluminum material, features lightweight structure, which make installation easy and fast. Astraios series meshes are ideal mesh cladding materials in various designs. They are available in various colors through anodic oxidation surface treatment.



Argger Astraios architectural mesh is durable to withstand heavy winds, extreme weathers and exposure to the sun.


Hope our Astraios architectural mesh contribute to your extraordinary project designs.



Astraios-4018




Astraios-2020




Astraios-1820


Astraios-C




Astraios-R



Astraios-S



Astraios-E



Astraios-H



Astraios-T



Astraios-Y

Astraios-V






## Astraios 4018


## Open

#### SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Interior Design
- Furniture
- Wall Covering
- Parking Screen







#### **APPLICATIONS**

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

#### **SPECIFICATION**

Material	SS304/SS316
Surface finish	baking varnish and plating
LWD (a)	137 mm
SWD (b)	53 mm
LWO (c)	103 mm
SWO (d)	28 mm
Strand width (e)	20 mm
Thickness (f)	2 mm
Overall thickness (g)	23 mm
Open area	34%
Weight	5.6 kg/m <sup>2</sup>
Color	Natural colors, bronze,




## Astraios 2020


## Open

#### SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Interior Design
- Furniture
- Wall Covering
- Parking Screen







#### APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

4 www.arg	iger.com
-----------	----------

Material	SS304/SS316
Surface finish	baking varnish and plating
LWD (a)	30 mm
SWD (b)	15 mm
LWO (c)	20 mm
SWO (d)	7.5 mm
Strand width (e)	4 mm
Thickness (f)	1.8 mm
Overall thickness (g)	6.3 mm
Open area	52.7%
Weight	10.3 kg/m <sup>2</sup>
Color	Natural colors, bronze,




## Astraios 1820

## Open

#### SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Interior Design
- Furniture
- Wall Covering
- Parking Screen



#### APPLICATIONS

**SPECIFICATION** 

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

Material	SS304/SS316
Surface finish	baking varnish and plating
LWD (a)	150 mm
SWD (b)	40 mm
LWO (c)	95 mm
SWO (d)	15 mm
Strand width (e)	18 mm
Thickness (f)	2 mm
Overall thickness (g)	18 mm
Open area	50.2%
Weight	5.2 kg/m <sup>2</sup>
Color	Natural colors, bronze, 🛛 🔵 🌑 antique brass, brass or RAL colors

#### WEAVING INFINITE POSSIBILITIES




#### Astraios-R

#### Open


#### SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Parking Screen
- Interior Design



Thicknesses

WEAVING INFINITE POSSIBILITIES





Astraios-R straight line

Astraios-R 45° staggered

Astraios-R 60° staggered

#### **APPLICATIONS**

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

SPECIFICATION	
---------------	--

Material	stainless steel, aluminium, carbon steel, aluminium magnesium alloy, copper, titanium
Hole pattern	round hole
Surface treatment	powder coating
Arrangement	straight line, 45° staggered, 60° staggered
Hole size	customized
Thicknesses	0.4–10.0 mm
Length	1000–1500 mm
Width	2000–3000 mm
Open area	variable
Notes	The product sizes and hole sizes can be customized upon request.







#### SPACE


- Partition
- Safety & Security
- Ceiling
- Facade
- Parking Screen
- Interior Design

#### WEAVING INFINITE POSSIBILITIES

Thicknes







Astraios-E straight line

Astraios-E staggered

#### **APPLICATIONS**

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

Material	stainless steel, aluminium, carbon steel, aluminium magnesium alloy, copper, titanium
Hole pattern	slotted hole
Surface treatment	powder coating
Arrangement	straight line, staggered
Hole size	customized
Thicknesses	0.4–10.0 mm
Length	1000–1500 mm
Width	2000–3000 mm
Open area	variable
Notes	The product sizes and hole sizes can be customized upon request.







#### Astraios-T

#### Open

#### SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Parking Screen
- Interior Design





#### **APPLICATIONS**

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

#### SPECIFICATION

Material	stainless steel, aluminium, carbon steel, aluminium magnesium alloy, copper, titanium
Hole pattern	triangle hole
Surface treatment	powder coating
Hole size	customized
Thicknesses	0.4–10.0 mm
Length	1000–1500 mm
Width	2000–3000 mm
Open area	variable
Notes	The product sizes and hole sizes can be customized upon request.


WEAVING INFINITE POSSIBILITIES




#### SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Parking Screen
- Interior Design

#### WEAVING INFINITE POSSIBILITIES





Thicknesses

#### **APPLICATIONS**

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital


Material	stainless steel, aluminium, carbon steel, aluminium magnesium alloy, copper, titanium
Hole pattern	clover hole
Surface treatment	powder coating
Arrangement	staggered
Hole size	customized
Thicknesses	0.4–10.0 mm
Length	1000–1500 mm
Width	2000–3000 mm
Open area	variable
Notes	The product sizes and hole sizes can be customized upon request.






#### SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Parking Screen
- Interior Design





Thicknesse


#### **APPLICATIONS**

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

#### **SPECIFICATION**

Material	stainless steel, aluminium, carbon steel, aluminium magnesium alloy, copper, titanium
Hole pattern	square hole
Surface treatment	powder coating
Hole size	customized
Thicknesses	0.4–10.0 mm
Length	1000–1500 mm
Width	2000–3000 mm
Open area	variable
Notes	The product sizes and hole sizes can be customized upon request.

#### WEAVING INFINITE POSSIBILITIES







#### SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Parking Screen
- Interior Design

#### WEAVING INFINITE POSSIBILITIES





#### **APPLICATIONS**

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

Material	stainless steel, aluminium, carbon steel, aluminium magnesium alloy, copper, titanium
Hole pattern	hexagonal
Surface treatment	powder coating
Hole size	customized
Thicknesses	0.4–10.0 mm
Length	1000–1500 mm
Width	2000–3000 mm
Open area	variable
Notes	The product sizes and hole sizes can be customized upon request.





#### SPACE

- Facade
- Interior Design
- Ceiling







	Material	Aluminum Alloy1100, 3003, 3014, 5005, 5015, 6063,etc.
	Aluminum Thicknesses	1.5–10.0 mm
	Max. Length	1500 mm
	Max. Width	5000 mm
	Color	any color, wood grain, stone color, brass, bronze
er	Surface treatment	Powder coating
	Size/Design	sizes and design are available according your detailed drawings
	Open area	variable

- Hotel
  - Shopping center
  - Office
  - Concert hall
  - Restaurant
  - Family
  - Recreation center
  - Theater
  - Library
  - Hospital



Astraios-V

Open

#### **ASTRAIOS-V**

Astraios-V is a versatile sound-absorbing panel that not only offers microperforated panels with a diameter of only 0.04 mm but also provides visually appealing circular perforated panels. These sound-absorbing panels exhibit excellent acoustic performance. The unique geometric structure on the surface of the micro-perforated panels increases friction between sound waves and the micro-perforations, thereby reducing noise propagation.

#### **SPECIFICATION**

<ul> <li>Facade</li> <li>Ceiling</li> <li>Road</li> </ul> PLICATIONS Public transportation facilities <ul> <li>Overpass</li> <li>Factory</li> <li>Workshop equipment</li> <li>Stadium</li> <li>Airport</li> <li>Conference hall</li> <li>Soundproof barrier</li> </ul>	Mater	<i>ial</i> Iron plate, galvanized plate, aluminum plate, stainless steel plate
	Thickne	ss 0.6mm, 0.7mm, 0.8mm, 1.0mm, 1.2mm, 1.5mm
	Apertu	re Common 3 hole 3 spur, 5 hole 2 spur, 2 hole 4 spur
	Opening ra	te ≤ 25%
	Common Specificatio	600 × 1200 × 80 mm, 500 × 2000 × 80 mm, 500 × 2000 × 100 mm, 500 × 2500 × 80(100) mm, 500 × 2000 × 120 mm
	Surface Col	or Green, Blue, Grey, • • • • • • • • • • • • • • • • • • •
	Surface Treatme	nt Electrostatic powder spraying, fluorocarbon coating
	Sound Insulatio Coefficie	> 30  AR(A)
	Tensile Streng	<i>th</i> ≥ 1305 N
	Noise Reduction Effe	Sound reduction index: 25-40 DB(A); NRC: 0.7-0.83
	Flame Retarda Performan	Notional Standard Loval A
	Environmen Performan	National Standard E1 Level

#### SPACE

APP

- Facade








# Facade



Interior Design



Wall Covering









Partition



Parking Screen

# ARGGER ASTRAIOS



ARGGER CREATIVE WEAVE (HENGSHUI) CO., LTD.



#### ADDRESS

Intersection of Weier Road and Jingsan Road, High-tech Industrial Zone, Anping, Hengshui, Hebei, China. 053600

#### MOBILE

WeChat/WhatsApp: +86-18931825899 Skype: sales.boegger

#### **NETWORK**

https://www.argger.com E-mail: support@argger.com