

ARGGER ATHENA



DESIGN


Understand your ideas.
Exceptional performance inspires more..

SOLVE

Seek the best solution.
Draw bridge to the future projects.

SERVICE

Provide all-around services.
Make your ideas come into reality.




ARGGER **Athena**

Our Athena series architectural meshes have rigid and flexible structures, which combines steel rods and steel ropes together. You can adjust the rod and rope pitch and material to achieve extraordinary visual affects.


Athena series decorative meshes are available for both interior and exterior designs for partition, ceiling, facade, security fences and decorative elements.




Large open area can satisfy excellent air and light circulation requirements.




Athena-40510D-S



Athena-40510D-C



Athena-40105D




Athena-2028D







Athena-1222D




Athena-2026D




Athena-2230D



Athena-1020D




Athena-0815D




Athena-2320D




Athena-2730D




Athena-2720D



Athena-0307D




Athena-0505D




Athena-0802D




Athena-1516D




Athena-3040D



Athena-2820D



Athena-3023D




Athena-3030D




Athena-1416D




Athena-1420D




Athena-0714D




Athena-5050D



Athena-1730D



Athena-0942D



Athena-4010D



ARGGER

Athena 40510D-S

Weave Spacing



SPACE

- Partition
- Safety & Security
- Ceiling
- Interior Design
- Furniture
- Wall Covering

APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION

<i>Material</i>	SS304/SS316
<i>Surface finish</i>	baking varnish and plating
<i>Flat wire width (a)</i>	4.05 mm
<i>Flat wire thickness (b)</i>	1 mm
<i>Round wire diameter (c)</i>	1 mm
<i>(d)</i>	3.12 mm
<i>(e)</i>	$3.12 (e^1) \times 7.05 \text{ mm } (e^2)$
<i>Open area</i>	35.5%
<i>Weight</i>	1.6 kg/m ²
<i>Color</i>	Natural colors, bronze, antique brass and brass





ARGGER

Athena 40510D-C

Weave Spacing



SPACE

- Partition
- Safety & Security
- Ceiling
- Interior Design
- Furniture
- Wall Covering

APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION

Material	SS304/SS316
Surface finish	baking varnish and plating
Flat wire width (a)	4.05 mm
Flat wire thickness (b)	1 mm
Round wire diameter (c)	1 mm
(d)	3.12 mm
(e)	3.12 mm (e¹) × 7.05 mm (e²)
Open area	35.5%
Weight	1.6 kg/m²
Color	Natural colors, bronze, antique brass and brass





ARGGER

Athena 40105D

Weave Spacing



SPACE

- Partition
- Safety & Security
- Ceiling
- Interior Design
- Furniture
- Wall Covering

APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION

<i>Material</i>	SS304/SS316
<i>Surface finish</i>	baking varnish and plating
<i>Flat wire width (a)</i>	4.05 mm
<i>Flat wire thickness (b)</i>	1 mm
<i>Round wire diameter (c)</i>	1.05 mm
<i>(d)</i>	3.4 mm (d¹) × 6 mm (d²)
<i>(e)</i>	3.4 mm (e¹) × 24.6 mm (e²)
<i>Open area</i>	55.55%
<i>Weight</i>	1.66 kg/m²
<i>Color</i>	Natural colors, bronze, antique brass and brass





ARGGER

Athena 2028D

Weave Spacing


SPACE

- Partition
- Safety & Security
- Ceiling
- Interior Design
- Furniture
- Wall Covering

APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION

Material	SS304/SS316
Surface finish	baking varnish and plating
Round wire diameter (a)	2 mm
Rope diameter (b)	2.8 mm
Round wire pitch (c)	5.85 mm
Rope pitch (d)	5.7 mm
Open area	48.82%
Weight	9.7 kg/m ²
Color	Natural colors, bronze, antique brass and brass



ARGGER

Athena 1222D

Weave Spacing


SPACE

- Partition
- Safety & Security
- Ceiling
- Interior Design
- Furniture
- Wall Covering

APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION

<i>Material</i>	SS304/SS316
<i>Surface finish</i>	baking varnish and plating
<i>Cross rod diameter (a)</i>	1.2 mm
<i>Rope diameter (b)</i>	2.2 mm
<i>Cross rod pitch (c)</i>	4.1 mm
<i>Rope pitch (d)</i>	1.55 mm
<i>Open area</i>	32.7%
<i>Weight</i>	10.4 kg/m ²
<i>Color</i>	Natural colors, bronze, antique brass and brass 





ARGGER

Athena 2026D

Weave Spacing



SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Interior Design
- Furniture
- Wall Covering

APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION

Material	SS304/SS316
Surface finish	baking varnish and plating
Round wire diameter (a)	2 mm
Rope diameter (b)	2.6 mm
Round wire pitch (c)	5.75 mm
Rope pitch (d)	3.4 mm
Open area	43.3%
Weight	11.2 kg/m ²
Color	Natural colors, bronze, antique brass and brass



ARGGER

Athena 2230D

Weave Spacing


SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Interior Design
- Furniture
- Wall Covering

APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION

<i>Material</i>	SS304/SS316
<i>Surface finish</i>	baking varnish and plating
<i>Cross rod diameter (a)</i>	3 mm
<i>Rope diameter (b)</i>	2.2 mm
<i>Three-rod overall width (c)</i>	6.2 mm
<i>Rope pitch (d)</i>	73 mm
<i>Cross rod pitch (e)</i>	7.05 mm
<i>Open area</i>	61.3%
<i>Weight</i>	7.5 kg/m ²
<i>Color</i>	Natural colors, bronze, antique brass and brass





ARGGER

Athena 1020D

Weave Spacing



SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Interior Design
- Furniture
- Wall Covering

APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION

<i>Material</i>	SS304/SS316
<i>Surface finish</i>	baking varnish and plating
<i>Cross rod diameter (a)</i>	2 mm
<i>Rope diameter (b)</i>	1 mm
<i>Four-rope wire diameter (c)</i>	4 mm
<i>Rope pitch (d)</i>	32 mm
<i>Cross rod pitch (e)</i>	2.12 mm
<i>Open area</i>	45.76%
<i>Weight</i>	7.2 kg/m ²
<i>Color</i>	Natural colors, bronze, antique brass and brass





ARGGER

Athena 0815D

Weave Spacing


SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Interior Design
- Furniture
- Wall Covering

APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION

<i>Material</i>	SS304/SS316
<i>Surface finish</i>	baking varnish and plating
<i>Cross rod diameter (a)</i>	1.5 mm
<i>Rope diameter (b)</i>	0.8 mm
<i>Four-rope overall width (c)</i>	3.2 mm
<i>Rope pitch (d)</i>	23.3 mm
<i>Cross rod pitch (e)</i>	1.6 mm
<i>Open area</i>	45.34%
<i>Weight</i>	7.2 kg/m ²
<i>Color</i>	Natural colors, bronze, antique brass and brass





ARGGER

Athena 2320D

Weave Spacing



SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Interior Design
- Furniture
- Wall Covering

APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION

Material	SS304/SS316
Surface finish	baking varnish and plating
Cross rod diameter (a)	2 mm
Rope diameter (b)	2.3 mm
Rope pitch (c)	2.5 mm
Cross rod pitch (d)	3 mm
Open area	31.02%
Weight	11 kg/m ²
Color	Natural colors, bronze, antique brass and brass



ARGGER

Athena 2730D

Weave Spacing



SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Interior Design
- Furniture
- Wall Covering

APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION

<i>Material</i>	SS304/SS316
<i>Surface finish</i>	baking varnish and plating
<i>Cross rod diameter (a)</i>	3 mm
<i>Rope diameter (b)</i>	2.7 mm
<i>Rope pitch (c)</i>	8.4 mm
<i>Cross rod pitch (d)</i>	11.5 mm
<i>Open area</i>	59.8%
<i>Weight</i>	8.2 kg/m ²
<i>Color</i>	Natural colors, bronze, antique brass and brass





ARGGER

Athena 2720D

Weave Spacing



SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Interior Design
- Furniture
- Wall Covering

APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION

<i>Material</i>	SS304/SS316
<i>Surface finish</i>	baking varnish and plating
<i>Cross rod diameter (a)</i>	2 mm
<i>Rope diameter (b)</i>	2.7 mm
<i>Rope pitch (c)</i>	3.2 mm
<i>Cross rod pitch (d)</i>	5.5 mm
<i>Open area</i>	40.03%
<i>Weight</i>	12.1 kg/m ²
<i>Color</i>	Natural colors, bronze, antique brass and brass





ARGGER

Athena 0307D

Weave Spacing


SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Interior Design
- Furniture
- Wall Covering

APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION

Material	SS304/SS316
Surface finish	baking varnish and plating
Vertical wire diameter (a)	0.3 mm
Cross rod diameter (b)	0.7 mm
(c)	7.6 mm
(d)	11.2 mm
(e)	0.5 mm
Open area	41.2%
Weight	2.21 kg/m ²
Color	Natural colors, bronze, antique brass and brass





ARGGER

Athena 0505D

Weave Spacing



SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Interior Design
- Furniture
- Wall Covering

APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION

Material	SS304/SS316
Surface finish	baking varnish and plating
Cross rod diameter (a)	0.5 mm
Rope diameter (b)	0.5 mm
Three-rope overall width (c)	1.5 mm
Rope pitch (d)	2.15 mm
Cross rod pitch (e)	1.15 mm
Open area	40.35%
Weight	2.4 kg/m ²
Color	Natural colors, bronze, antique brass and brass





ARGGER

Athena 0802D

Weave Spacing



SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Interior Design
- Furniture
- Wall Covering

APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION

Material	SS304/SS316
Surface finish	baking varnish and plating
Cross rod diameter (a)	2 mm
4-round-wire diameter (b)	0.8 mm
4-round-wire overall width (c)	3.4 mm
4-round-wire pitch (d)	33.3 mm
Cross rod pitch (e)	1.95 mm
Open area	44.9%
Weight	6.8 kg/m ²
Color	Natural colors, bronze, antique brass and brass





ARGGER

Athena 1516D

Weave Spacing


SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Interior Design
- Furniture
- Wall Covering

APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION

<i>Material</i>	SS304/SS316
<i>Surface finish</i>	baking varnish and plating
<i>Semicircle Cross rod diameter (a)</i>	1.6 mm
<i>Rope diameter (b)</i>	1.5 mm
<i>Rope pitch (c)</i>	2.45 mm
<i>Cross rod pitch (d)</i>	4.35 mm
<i>Open area</i>	44.7%
<i>Weight</i>	5.1 kg/m ²
<i>Color</i>	Natural colors, bronze, antique brass and brass





ARGGER

Athena 3040D

Weave Spacing


SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Interior Design
- Furniture
- Wall Covering


APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION

<i>Material</i>	SS304/SS316
<i>Surface finish</i>	baking varnish and plating
<i>Cross rod diameter (a)</i>	4 mm
<i>Rope diameter (b)</i>	3 mm
<i>Rope pitch (c)</i>	34.8 mm
<i>Cross rod pitch (d)</i>	10.3 mm
<i>Open area</i>	29.52%
<i>Weight</i>	10 kg/m ²
<i>Color</i>	Natural colors, bronze, antique brass and brass 





ARGGER

Athena 2820D

Weave Spacing



SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Interior Design
- Furniture
- Wall Covering

APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION

<i>Material</i>	SS304/SS316
<i>Surface finish</i>	baking varnish and plating
<i>Cross rod diameter (a)</i>	2 mm
<i>Rope diameter (b)</i>	2.8 mm
<i>(c)</i>	3.6 mm
<i>(d)</i>	9.6 mm
<i>Cross rod pitch (e)</i>	6 mm
<i>Open area</i>	49.2%
<i>Weight</i>	11.7 kg/m ²
<i>Color</i>	Natural colors, bronze, antique brass and brass





ARGGER

Athena 3023D

Weave Spacing



SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Interior Design
- Furniture
- Wall Covering

APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION

<i>Material</i>	SS304/SS316
<i>Surface finish</i>	baking varnish and plating
<i>Cross rod diameter (a)</i>	2.38 mm
<i>Rope diameter (b)</i>	3 mm
<i>Rope pitch (c)</i>	3.4 mm
<i>Cross rod pitch (d)</i>	5.4 mm
<i>Open area</i>	37.8%
<i>Weight</i>	14.3 kg/m ²
<i>Color</i>	Natural colors, bronze, antique brass and brass





ARGGER

Athena 3030D

Weave Spacing


SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Interior Design
- Furniture
- Wall Covering

APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION

<i>Material</i>	SS304/SS316
<i>Surface finish</i>	baking varnish and plating
<i>Cross rod diameter (a)</i>	3 mm
<i>Rope diameter (b)</i>	3 mm
<i>Four-rope overall width (c)</i>	10 mm
<i>Rope pitch (d)</i>	51 mm
<i>Cross rod pitch (e)</i>	4.5 mm
<i>Open area</i>	46.12%
<i>Weight</i>	11.8 kg/m ²
<i>Color</i>	Natural colors, bronze, antique brass and brass 



ARGGER

Athena 1416D

Weave Spacing



SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Interior Design
- Furniture
- Wall Covering

APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION

<i>Material</i>	SS304/SS316
<i>Surface finish</i>	baking varnish and plating
<i>Cross rod diameter (a)</i>	1.45 mm
<i>Rope diameter (b)</i>	1.65 mm
<i>Rope pitch (c)</i>	2 mm
<i>Cross rod pitch (d)</i>	4.8 mm
<i>Open area</i>	41.2%
<i>Weight</i>	7.1 kg/m ²
<i>Color</i>	Natural colors, bronze, antique brass and brass





ARGGER

Athena 1420D

Weave Spacing



SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Interior Design
- Furniture
- Wall Covering

APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION

Material	SS304/SS316
Surface finish	baking varnish and plating
Vertical cross rod diameter (a)	1.42 mm
Horizontal rope diameter (b)	2 mm
Rope pitch (c)	2.5 mm
Cross rod pitch (d)	4.7 mm
Open area	40.64%
Weight	8.1 kg/m ²
Color	Natural colors, bronze, antique brass and brass





ARGGER

Athena 0714D

Weave Spacing



SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Interior Design
- Furniture
- Wall Covering

APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION

Material	SS304/SS316
Surface finish	baking varnish and plating
Cross rod diameter (a)	1.43 mm
Four-rod diameter (b)	0.75 mm
Four-rod overall width (c)	3.3 mm
Rope pitch (d)	23 mm
Cross rod pitch (e)	1.9 mm
Open area	33.4%
Weight	4.4 kg/m ²
Color	Natural colors, bronze, antique brass and brass





ARGGER

Athena 5050D

Weave Spacing



SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Interior Design
- Furniture
- Wall Covering

APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION

Material	SS304/SS316
Surface finish	baking varnish and plating
Two-round-wire diameter(a)	5 mm
Cross rod diameter (b)	5 mm
Two-round-wire overall width (c)	10 mm
Two-round-wire pitch (d)	116 mm
Cross rod pitch (e)	20 mm
Open area	70.2%
Weight	11.15 kg/m ²
Color	Natural colors, bronze, antique brass and brass





ARGGER

Athena 1730D

Weave Spacing



SPACE

- Partition
- Safety & Security
- Ceiling
- Interior Design
- Furniture
- Wall Covering

APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION

<i>Material</i>	SS304/SS316
<i>Surface finish</i>	baking varnish and plating
<i>9-round-wire wire diameter (a)</i>	1.7 mm
<i>Wavy round wire diameter (b)</i>	3 mm
<i>Cross rod diameter (c)</i>	3 mm
<i>9-round-wire overall width (d)</i>	15.8 mm
<i>Wavy round wire pitch (e)</i>	40 mm
<i>(f)</i>	17 mm
<i>Cross rod pitch (g)</i>	22 mm
<i>Open area</i>	65.7%
<i>Weight</i>	6.3 kg/m ²
<i>Color</i>	Natural colors, bronze, antique brass and brass





ARGGER

Athena 0942D

Weave Spacing


SPACE

- Partition
- Safety & Security
- Ceiling
- Interior Design
- Furniture
- Wall Covering

APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION

Material	SS304/SS316
Surface finish	baking varnish and plating
Round wire diameter (a)	0.95 mm
Flat wire width (b)	4.2 mm
Flat wire thickness (c)	1 mm
Flat wire pitch (d)	3 mm
Three-round-wire overall width (e)	8.6 mm
(f)	3 mm
(g)	7 mm
Open area	33.1%
Weight	2 kg/m ²
Color	Natural colors, bronze, antique brass and brass





ARGGER

Athena 4010D

Weave Spacing




SPACE

- Partition
- Safety & Security
- Ceiling
- Facade
- Interior Design
- Furniture
- Wall Covering

APPLICATIONS

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

WEAVING INFINITE POSSIBILITIES



SPECIFICATION


<i>Material</i>	SS304/SS316
<i>Surface finish</i>	baking varnish and plating
<i>Flat wire width (a)</i>	4 mm
<i>Flat wire thickness (b)</i>	1 mm
<i>Round wire diameter (c)</i>	1 mm
<i>Flat wire aperture (d)</i>	2.9 mm
<i>(e)</i>	7 mm (e¹) × 2.9 mm (e²)
<i>(f)</i>	2.9 mm (f¹) × 2.9 mm (f²)
<i>Open area</i>	33.42%
<i>Weight</i>	5.94 kg/m²
<i>Color</i>	Natural colors, bronze, antique brass and brass



APPLICATION




Facade



Interior Design



Safety & Security



Ceiling



Partition



Wall Covering




Furniture



Interior Design



Facade



Safety & Security



Facade

ARGGER

ATHENA



ARGGER

ARGGER CREATIVE WEAVE CO., LTD.



ADDRESS

Intersection of Weier Road and Jingsan Road, High-tech
Industrial Zone, Anping, Hengshui, Hebei, China. 053600

MOBILE

WeChat/WhatsApp: +86-18931825899
Skype: sales.boegger

NETWORK

<https://www.argger.com>
E-mail: support@argger.com