





#### **DESIGN**

Understand your ideas. Exceptional performance inspires more..

#### **SOLVE**

Seek the best solution. Draw bridge to the future projects.

#### **SERVICE**

Provide all-around services. Make your ideas come into reality.





## ARGGER Gordius

Gordius stainless steel cable mesh is a kind of stainless steel woven mesh combines the tensile strength of stainless steel and beautiful diamond opening, elegant and beautiful. Stainless steel cable mesh is generally divided into 2 types. One is knotted stainless steel cable mesh produced by using s special tool to punch holes and then interweaves with each other, featuring high tensile strength, soft net surface and high impact resistance; the other one is stainless steel cable ferrule mesh, unlike knotted stainless steel cable mesh, it is composed of stainless steel ferrules and stainless steel cables, featuring rigid structure, good visibility and excellent corrosion resistance. Stainless steel cable mesh is widely used in zoos, gardens, balconies, shopping malls, building reinforcement, building decoration, mine support and other places.







Gordius-2020 Gordius-3030







## Rope


#### **SPACE**

- Partition
- Safety & Security
- Interior Design









#### **APPLICATIONS**

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

#### **SPECIFICATION**

| Material                       | stainless steel                     |
|--------------------------------|-------------------------------------|
| Rope diameter                  | 1.0–5.0 mm                          |
| Construction                   | $7 \times 7$ , $7 \times 19$ , etc. |
| Mesh shape (standard)          | diamond with mesh angle 90 degree.  |
| Height(H)                      | 20–300 mm                           |
| Width (W)                      | 20–300 mm                           |
| Minimum tensile breaking loads | 0.5–20.6 KN.                        |
| Light transmission             | 78% – 99%.                          |
| Open area                      | variable.                           |
|                                |                                     |





## Rope

### **SPACE**

- Partition
- Safety & Security
- Interior Design







#### **APPLICATIONS**

- Hotel
- Shopping center
- Office
- Concert hall
- Restaurant
- Family
- Recreation center
- School
- Theater
- Library
- Hospital

#### **SPECIFICATION**

| Material                       | stainless steel                     |
|--------------------------------|-------------------------------------|
| Rope diameter                  | 1.0–5.0 mm                          |
| Construction                   | $7 \times 7$ , $7 \times 19$ , etc. |
| Mesh shape (standard)          | diamond with mesh angle 60 degree.  |
| Height(H)                      | 20–300 mm                           |
| Width (W)                      | 20–300 mm                           |
| Minimum tensile breaking loads | 0.5–20.6 KN.                        |
| Light transmission             | 78% – 99%.                          |
| Open area                      | variable.                           |
| ,                              |                                     |

















# ARGGER GORDIUS



ARGGER CREATIVE WEAVE CO., LTD.



#### **ADDRESS**

Intersection of Weier Road and Jingsan Road, High-tech Industrial Zone, Anping, Hengshui, Hebei, China. 053600

#### **MOBILE**

WeChat/WhatsApp: +86-18931825899 Skype: sales.boegger

#### **NETWORK**

https://www.argger.com E-mail: support@argger.com